

Part 20 - Text and Game Over

For our last hurrah, we'll add a score object in the top left corner of the screen and increase it for each monster shot and when the star is collected.

First the score text, graphic and object:

```
[ScoreText]
String = 000

[ScoreGraphic]
Text = ScoreText
Pivot = top left

[ScoreObject]
Graphic = ScoreGraphic
Position = (20, 20, 0)
```

Interesting to note the special Text definition. ScoreGraphic uses this instead of a texture from file. And the ScoreObject uses the graphic section as others before.

Now, in code, add a score variable and a scoreObject at the top of the file:

```
orxOBJECT *hero;
orxOBJECT *herosGun;
orxOBJECT *scoreObject;
orxS16 score = 0;
```

Next, create a score object and assign it to the scoreObject variable in the Init() function:

```
scoreObject = orxObject_CreateFromConfig("ScoreObject");
```

Add a little function to increase the score and update the ScoreObject:

```
void UpdateScore(int increase){
    score += increase;

    orxCHAR formattedScore[6];
    orxString_Print(formattedScore, "%d", score);

    orxObject_SetTextString(scoreObject, formattedScore);
}
```

Add 250 points whenever a monster is hit with a bullet:

```
if (orxString_Compare(senderObjectName, "BulletObject") == 0){
    CreateExplosionAtObject(pstRecipientObject, "JellyExploder");
    orxObject_SetLifeTime(pstSenderObject, 0);
    orxObject_SetLifeTime(pstRecipientObject, 0);
```

```
        UpdateScore(250);  
    }  
  
    if (orxString_Compare(recipientObjectName, "BulletObject") == 0){  
        CreateExplosionAtObject(pstSenderObject, "JellyExploder");  
        orxObject_SetLifeTime(pstSenderObject, 0);  
        orxObject_SetLifeTime(pstRecipientObject, 0);  
        UpdateScore(250);  
    }  
}
```

And of course, 1000 points bonus if the star is reached:

```
if (orxString_Compare(senderObjectName, "StarObject") == 0){  
    orxObject_SetLifeTime(pstSenderObject, 0);  
    UpdateScore(1000);  
}  
  
if (orxString_Compare(recipientObjectName, "StarObject") == 0){  
    orxObject_SetLifeTime(pstRecipientObject, 0);  
    UpdateScore(1000);  
}
```

Compile and run it. Shoot some monsters and collect the star and observe the score increasing.

That takes care of having an active score object.

A final thing for the game will be to add a game over panel when the hero dies. For this, we'll have an object that gets created using a timeline track after a two second delay. First, a game over asset:



Save this into the data/object folder as "gameover.png".

Create a simple gameover graphic and object:

```
[GameOverGraphic]  
Texture = gameover.png  
  
[GameOverObject]  
Graphic = GameOverGraphic  
Position = (280, 250, -0.1)
```

Create a timeline track with a single command to create the GameOverObject:

```
[PopUpGameOverTrack]  
2 = Object.Create GameOverObject
```

Then finally in the physics handler code, when the hero is destroyed, create the timeline track. After a

two second delay, the GameOverObject will be created on screen:

```

if (orxString_Compare(recipientObjectName, "HeroObject") == 0 &&
    orxString_Compare(senderObjectName, "MonsterObject") == 0
){
    CreateExplosionAtObject(pstRecipientObject, "HeroExploder");
    orxObject_SetLifeTime(pstSenderObject, 0);
    orxObject_Enable(pstRecipientObject, orxFALSE);
    orxObject_AddTimeLineTrack(scene, "PopUpGameOverTrack");
}

if (orxString_Compare(senderObjectName, "HeroObject") == 0 &&
    orxString_Compare(recipientObjectName, "MonsterObject") == 0
){
    CreateExplosionAtObject(pstSenderObject, "HeroExploder");
    orxObject_SetLifeTime(pstRecipientObject, 0);
    orxObject_Enable(pstSenderObject, orxFALSE);
    orxObject_AddTimeLineTrack(scene, "PopUpGameOverTrack");
}

```

Because we never had a reference to the scene before in order to add the PopUpGameOverTrack, we'll need to make a variable reference to it at the top of the code:

```


orxOBJECT *hero;
orxOBJECT *herosGun;
orxOBJECT *scene;
orxOBJECT *scoreObject;
orxS16 score = 0;

```

And then set the variable on the orxObject_CreateFromConfig("Scene") in the init() function:

```
scene = orxObject_CreateFromConfig("Scene");
```

Compile and run. Kill your hero and wait two seconds. The game over panel will appear:



Well friends, that's game over. If you reached the end here, great job! You've learned many of the major features of Orx.

If you need more help, go to the [tutorials](#) section where many of these concepts are covered in greater detail.

If you need quick examples, you can visit the [examples](#) section and search by subject.

If you get stuck, please post it to the [forum](#), and for general chat, come and join us over in [gitter](#). Hope to see you there.

From:
<https://www.orx-project.org/wiki/> - **Orx Learning**

Permanent link:
https://www.orx-project.org/wiki/en/guides/beginners/text_and_game_over?rev=1518583673

Last update: **2025/09/30 17:26 (3 months ago)**

