

orxCAMERA structure

Summary

```
[CameraTemplate]
FrustumHeight = <float>
FrustumWidth = <float>
FrustumNear = <float>
FrustumFar = <float>
Position = <vector>
Rotation = <float>
Zoom = <float>
```

Details

Here's a list of the available properties for an orxCAMERA structure:

- FrustumNear/FrustumFar: Define the near and far planes for the 📷 [camera frustum](#). The near plane is excluded whereas the far plane is included when doing render culling.
- FrustumHeight/FrustumWidth: As orx is using 2D cameras, their frustum are 📷 [rectangle cuboids](#) instead of a real 📷 [frustum](#). If you want to achieve a 1:1 aspect ratio with your main display window, you can use the `Display.ScreenHeight` and `Display.ScreenWidth` values.
- String: Defines the content of this orxTEXT as plain text. **NB: If its value begins with a dollar ('\$'), the rest of the value will be used as a key for the [localization module](#).**
- Position: Camera's initial position.
- Rotation: Camera's initial rotation (along its Z-axis).
- Zoom: Camera's initial zoom.

From:

<https://www.orx-project.org/wiki/> - **Orx Learning**

Permanent link:

https://www.orx-project.org/wiki/en/orx/config/settings_structure/orxcamera?rev=1253539135

Last update: **2025/09/30 17:26 (8 months ago)**

